

## Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

## Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**SDS ID: MATNE514** 

#### **Material Name**

NANOCHEM® OMX (ORGANOMETAL RESIN)

#### **Product Description**

For Use with Gases: Inert (nitrogen, argon, helium, neon, xenon, krypton); Hydrocarbons (methane); Halogenated Gases (fluoroethane); hydrogen; and gas mixtures of the above constituent gases. As a service to our customers, Matheson Gas Products has identified this Safety Data Sheet with the intended gas for which the accompanying purifier will be used. The data herein is reflective of the purification media, as shipped under an argon pressure of 5-15 psig. Once the purifier is installed and exposed to the intended process gas, the SDS for the process gas must also be consulted in conjunction with this SDS to determine the appropriate hazards.

#### **Product Use**

Industrial and Specialty Gas Applications.

#### **Restrictions on Use**

None known.

## Details of the supplier of the safety data sheet

MATHESON TRI-GAS, INC.

909 Lake Carolyn Parkway

**Suite 1300** 

Irving, TX 75039

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC) Outside the US: 703-527-3887 (Call collect)

## **Section 2 - HAZARDS IDENTIFICATION**

## Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Acute Toxicity - Oral - Category 3

Acute Toxicity - Inhalation - Dust/Mist - Category 1

Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2A

Reproductive Toxicity - Category 1A

Specific Target Organ Toxicity - Single Exposure - Category 1 (respiratory system, upper respiratory system, skin)

Specific Target Organ Toxicity - Single Exposure - Category 2 (Nervous System)

## **GHS Label Elements**

### Symbol(s)



# Signal Word

Danger

## **Hazard Statement(s)**

Toxic if swallowed.

Fatal if inhaled.

Causes skin irritation.

Page 1 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04



**SDS ID: MATNE514** 

## Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

Causes serious eve irritation.

May damage fertility or the unborn child.

Causes damage to organs.

May cause damage to organs.

### **Precautionary Statement(s)**

#### **Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear respiratory protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

#### Response

If exposed: Call a POISON CENTER or doctor/physician.

If exposed or concerned: Call a POISON CENTER or doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

Rinse mouth.

Immediately call a POISON CENTER or doctor.

Specific treatment is urgent (see label).

#### Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

### **Disposal**

Dispose in accordance with all applicable regulations.

### Statement(s) of Unknown Acute Toxicity

Oral 98.5% of the mixture consists of ingredient(s) of unknown acute toxicity.

Inhalation 98.5% of the mixture consists of ingredient(s) of unknown acute toxicity.

### Other Hazards

There are no expected signs or symptoms of overexposure in the workplace. The Nanochem (R) OMX purification system is sold as a sealed unit and no occupational exposure to the media is expected.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS							
CAS Component Name Percent							
Proprietary	ORGANOLITHIUM POLYMER, TRADE SECRET	98-99					
7580-67-8	Lithium hydride	1 - 2					

## **Component Related Regulatory Information**

The chemical identity and/or percentage of composition is being withheld as a trade secret.

	Section 4 - FIRST AID MEASURES	
Inhalation		



### Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

It is unlikely that emergency treatment will be required. However, in case of contact with media remove to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. Maintain airway, blood pressure, and respiration. Keep warm and at rest. Get medical attention immediately.

**SDS ID: MATNE514** 

#### Skin

It is unlikely that emergency treatment will be required. However, in case of contact with media promptly wash with soap and running water. Remove contaminated clothing. Wash clothing before reuse. Cover affected area securely with sterile, loose-fitting dressing. Treat symptomatically and supportively. Get medical attention immediately.

#### Eyes

It is unlikely that emergency treatment will be required. However, in case of contact with media, immediately flush with plenty of low pressure water for at least 20 minutes. Remove any contact lenses to ensure thorough flushing. Get immediate medical attention.

## Ingestion

The system is sold as a sealed unit and exposure to the compound via ingestion of media is not expected. If ingestion does occur, call a physician. Avoid gastric lavage or emesis. Give large amounts of water or milk. Repeat if vomiting occurs. Never make an unconscious person vomit or drink fluids. If vomiting occurs, keep head lower than hips to help prevent aspiration. Maintain airway and respiration. Treat symptomatically and supportively. Get medical attention immediately.

### **Most Important Symptoms/Effects**

## Acute

no information on significant adverse effects.

#### **Delayed**

no information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

## **Section 5 - FIRE FIGHTING MEASURES**

#### **Extinguishing Media**

### **Suitable Extinguishing Media**

regular dry chemical, dry sand, Lime, soda ash, Use extinguishers rated for Class D fires, such as Ansul Met-L-Kyl (TM).

### **Unsuitable Extinguishing Media**

Do not use water or foam.

## **Special Hazards Arising from the Chemical**

Negligible fire hazard as long as the container is not punctured or a wrong gas such as pure oxygen is not accidentally piped to the canister.

#### **Fire Fighting Measures**

Do not use water or foam. Move container from fire area if it can be done without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Do not get water inside container. Cool containers with water spray until well after the fire is out. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Avoid inhalation of material or combustion by-products. Contents will react with moisture and carbon dioxide or oxygen in air to release flammable hydrogen gas and a temperature rise sufficient to char and possibly ignite oxygen and combustible materials.

## **Special Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

### **Section 6 - ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Page 3 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04



### Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

Avoid heat, flames, sparks and other sources of ignition. Do not touch spilled caustic contents. Stop leak if possible without personal risk. Do not get water inside container. Collect material into suitable, loosely covered container for disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

**SDS ID: MATNE514** 

#### **Environmental Precautions**

Avoid release to the environment.

## **Section 7 - HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

No special handling precautions during normal use. Do not open the system to the atmosphere. Do not puncture container.

### Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Do not store or operate at temperatures above 70 °C (158 °F). Keep separated from incompatible substances.

### **Incompatible Materials**

None during normal use; contents are incompatible with acids, oxidizing materials, water, carbon dioxide, oxygen, hydrocarbons.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Component Exposure Limits**

Lithium hydride	7580-67-8
ACGIH:	0.05 mg/m3 Ceiling inhalable particulate matter
NIOSH:	0.025 mg/m3 TWA
	0.5 mg/m3 IDLH
OSHA (US):	0.025 mg/m3 TWA
Mexico:	0.025 mg/m3 TWA [VLE-PPT ]

## ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

## **Engineering Controls**

Not required during normal system use. In the event of system rupture, media removal from the system, or exposure to the media: Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Not required during normal system use. In the event of system rupture, media removal from the system, or exposure to the media: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

#### Skin Protection

Not required during normal system use. In the event of system rupture, media removal from the system, or exposure to the media: Wear appropriate chemical resistant clothing.

## **Respiratory Protection**

lithium hydride: 0.25 mg/m3. Any air-purifying respirator equipped with an N100, R100, or P100 filter (including N100, R100, and P100 filtering facepieces) except quarter-mask respirators. Any supplied-air respirator. 0.5 mg/m3.

Page 4 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04



## Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

Any supplied-air respirator operated in a continuous-flow mode. Any air-purifying, full-facepiece respirator equipped with an N100, R100, or P100 filter. Any powered, air-purifying respirator with a high-efficiency particulate filter. Any self-contained breathing apparatus with a full facepiece. Any supplied-air respirator with a full facepiece. Emergency or planned entry into unknown concentrations or IDLH conditions -. Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode. Escape -. Any air-purifying, full-facepiece respirator equipped with an N100, R100, or P100 filter. Any appropriate escape-type, self-contained breathing apparatus. Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode. Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode. Not required during normal system use. In the event of system rupture, media removal from the system, or exposure to the media: The following respirators and maximum use concentrations are drawn from NIOSH and/or OSHA.

**SDS ID: MATNE514** 

#### **Glove Recommendations**

Not required during normal system use. In the event of system rupture, media removal from the system, or exposure to the media: Wear appropriate chemical resistant gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES						
Appearance	Small black beads encased in a stainless steel cylinder under 5-15 psig inert gas pressure	Physical State	solid			
Odor	odorless	Color	black			
Odor Threshold	Not available	рН	(Basic in solution )			
Melting Point	Not available	<b>Boiling Point</b>	Not available			
Boiling Point Range	Not available	Freezing point	Not available			
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable			
Autoignition Temperature	Not available	Flash Point	(Not flammable )			
Lower Explosive Limit	Not available	Decomposition temperature	Not available			
Upper Explosive Limit	Not available	Vapor Pressure	(Negligible )			
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	0.32 - 0.6			
Water Solubility	(Reacts )	Partition coefficient: n- octanol/water	Not available			

Page 5 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04



## Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	black solid	Volatility	(Negligible )
Molecular Weight	Not available		

**SDS ID: MATNE514** 

## **Section 10 - STABILITY AND REACTIVITY**

### **Chemical Stability**

None during normal use. Contents may react with moisture, oxygen, and carbon dioxide in air to release flammable hydrogen gas and a temperature rise sufficient to char and possibly ignite combustible materials.

### **Possibility of Hazardous Reactions**

Will not polymerize.

#### **Conditions to Avoid**

None during normal use. Avoid contact with air. Keep dry. Keep out of water supplies and sewers.

#### **Incompatible Materials**

None during normal use; contents are incompatible with acids, oxidizing materials, water, carbon dioxide, oxygen, hydrocarbons.

## Hazardous decomposition products

#### Water or Moisture

Hydrogen, Oxygen, Hydrocarbons, lithium compounds

## **Section 11 - TOXICOLOGICAL INFORMATION**

## **Information on Likely Routes of Exposure**

#### Inhalation

This product is considered to be nonhazardous, however the following effects may occur as a result of damage to the product:: irritation, Reproductive Effects, respiratory system damage, nervous system damage

#### **Skin Contact**

This product is considered to be nonhazardous, however the following effects may occur as a result of damage to the product:: irritation

## **Eye Contact**

This product is considered to be nonhazardous, however the following effects may occur as a result of damage to the product:: irritation

## Ingestion

This product is considered to be nonhazardous, however the following effects may occur as a result of damage to the product:: irritation

### **Acute and Chronic Toxicity**

There are no expected signs or symptoms of overexposure in the workplace. The Nanochem (R) OMX purification system is sold as a sealed unit and no occupational exposure to the media is expected. In case of an accidental spill of the contents, the signs and symptoms below may be seen.

## Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

## **Product Toxicity Data**

## **Acute Toxicity Estimate**

Inhalation - Dust and Mist	0.005 mg/L
----------------------------	------------

Page 6 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04



**SDS ID: MATNE514** 

## Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

Oral 100 mg/kg

#### **Immediate Effects**

no information on significant adverse effects.

#### **Delayed Effects**

no information on significant adverse effects.

### Irritation/Corrosivity Data

No data available.

### **Respiratory Sensitization**

No data available.

#### **Dermal Sensitization**

No data available.

#### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

#### Germ Cell Mutagenicity

No data available for the mixture.

#### **Tumorigenic Data**

No data available

#### **Reproductive Toxicity**

This product is considered to be nonhazardous, however the following effects may occur as a result of damage to the product:: Reproductive Effects

## Specific Target Organ Toxicity - Single Exposure

No target organs identified.

## **Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

### **Aspiration hazard**

No data available.

## **Medical Conditions Aggravated by Exposure**

eye disorders, respiratory disorders, skin disorders and allergies

## **Section 12 - ECOLOGICAL INFORMATION**

## **Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.

## Persistence and Degradability

No data available.

#### **Bioaccumulative Potential**

No data available.

#### **Mobility**

No data available.

### Other Toxicity

No additional information is available.

## **Section 13 - DISPOSAL CONSIDERATIONS**

## **Disposal Methods**

Dispose in accordance with all applicable regulations. If the purification system is ever exposed to toxic gases or gases containing toxic elements, the media may contain these toxic materials, or reaction products thereof, and exhibit the characteristic of toxicity as defined in the hazardous waste regulations 40 CFR 261 Subpart C or D. System Recharge: The customer may consult Matheson for the disposal and recharge of the system. Systems used to purify reactive or flammable gases must be thoroughly purged with an inert gas prior to disposal.

**Component Waste Numbers** 

Page 7 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04



## Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

The U.S. EPA has not published waste numbers for this product's components.

## **Section 14 - TRANSPORT INFORMATION**

**SDS ID: MATNE514** 

**US DOT Information:** 

**Shipping Name:** LITHIUM HYDRIDE

Hazard Class: 4.3 UN/NA #: UN1414 Packing Group: I Required Label(s): 4.3

**IMDG Information:** 

**Shipping Name: LITHIUM HYDRIDE** 

Hazard Class: 4.3 UN#: UN1414 Packing Group: I Required Label(s): 4.3

**International Bulk Chemical Code** 

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

## **Section 15 - REGULATORY INFORMATION**

## **U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Lithium hydride	7580-67-8
SARA 302:	100 lb TPQ this material is a reactive solid, the TPQ does not default to 10000 pounds for non-powder, non-molten, non-solution form )
SARA 304:	100 lb EPCRA RQ

## SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Acute toxicity; Reproductive Toxicity; Skin Corrosion/Irritation; Serious Eye Damage/Eye Irritation; Specific Target Organ Toxicity

## **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Lithium hydride	7580-67-8	Yes	Yes	Yes	Yes	Yes

## California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

#### **Component Analysis - Inventory**

## **ORGANOLITHIUM POLYMER, TRADE SECRET (Proprietary)**

ı									
	US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
		_	_						

Page 8 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04



**SDS ID: MATNE514** 

## Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

No No No No No No	No No	No
-------------------	-------	----

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW, CN	VN (Draft)
No	No	No	No	No	No	No

## **Lithium hydride (7580-67-8)**

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	NSL	Yes	Yes	EIN	Yes	Yes	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW, CN	VN (Draft)
No	Yes	Yes	Yes	No	Yes	Yes

## **Section 16 - OTHER INFORMATION**

#### **NFPA Ratings**

Health: 3 Fire: 2 Instability: 2 Other: W

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes Updated: 12/14/2016

Key / Legend ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG -Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN -European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH -Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP -National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL-

Page 9 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04



## Material Name: NANOCHEM® OMX (ORGANOMETAL RESIN)

Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH-Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

**SDS ID: MATNE514** 

#### **Other Information**

#### Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

Page 10 of 10 Issue date: 2022-01-04 Revision 10.0 Print date: 2022-01-04